

**RHODE ISLAND GOVERNMENT REGISTER  
PUBLIC NOTICE OF PROPOSED RULEMAKING**

**DEPARTMENT OF HEALTH**

**Title of Rule:** Lead Safe Work Practices (216-RICR-50-15-12)

**Rule Identifier:** 216-RICR-50-15-12

**Rulemaking Action:** Proposed Amendment

**Important Dates:**

Date of Public Notice: March 25, 2026

End of Public Comment: April 24, 2026

**Rulemaking Authority:**

R.I. Gen. Laws Chapter 23-24.6

R.I. Gen. Laws Chapter 42-128.1

R.I. Gen. Laws Chapter 23-1

**Summary of Rulemaking Action:**

RIDOH is revising the lead safe and lead hazard levels for dust on floors and window sills to conform to EPA regulatory changes.

**Additional Information and Public Comments:**

All interested parties are invited to request additional information or submit written or oral comments concerning the proposed amendment until April 24, 2026 by contacting the appropriate party at the address listed below:

Zachary Garceau  
Department of Health  
3 Capitol Hill  
Room 403  
Providence, RI 02908  
zachary.garceau@health.ri.gov

In accordance with R.I. Gen. Laws § 42-35-2.8, an oral hearing will be granted if requested by twenty-five (25) persons, by a governmental agency or by an association having at least twenty-five (25) members. A request for an oral hearing must be made within ten (10) days of the publication of this notice.

**Regulatory Analysis Summary and Supporting Documentation:**

In development of this rule, consideration was given to:

- 1) Alternative approaches;
- 2) Overlap or duplication with other statutory and regulatory provisions; and
- 3) Significant economic impact on small business.

No alternative approach, duplication or overlap was identified based on available information. RIDOH has determined that the benefits of the rule justify its costs.

For full regulatory analysis or supporting documentation contact the agency staffperson listed above.